

After operational improvements to improve water efficiency, a property can reduce water use with high-efficiency fixtures. Faucets, toilets, urinals, and showerheads are all available as high-efficiency models under the following water use standards.

- Note: To earn points for this activity, you must retrofit (or already have retrofitted) at least 75% of the fixtures under management control by any of the standards in the table.
- If you have installed ENERGY STAR® washing machines and dishwashers, you may include those to qualify, as those models are water-efficient.

Standard	Toilets (gpf)	Urinals (gpf)	Public lavatory faucets (gpm)	Private lavatory faucets (gpm)	Kitchen faucets (gpm)	Showerheads
High-efficiency	1.28	0.125	0.5	1.5	2.2	1.5
EPA WaterSense	1.28	0.5	0.5	1.5	N/A	2.0
UPC/IPC	1.6	1.0	0.5	2.2	2.2	2.5

1. Complete the table below.

FIXTURE TYPE	TOTAL NUMBER UNDER MANAGEMENT CONTROL	TOTAL HIGH EFFICIENCY MODELS
Toilets		
Urinals		
Public lavatory faucets		
Private lavatory faucets		
Kitchen faucets		
Showerheads		
Dishwashers		
Washing machines		
Grand totals		

2. Fill in the blanks in the following statement.

_____ % of total water fixtures in common areas have been retrofitted to water-efficient models. The property _____ qualified for these Water points toward the certification.

Alternative Documentation

Instead of this form, you may submit at least one of the following to IREM®:

- Photos of 3 fixtures
- Invoice for fixtures